

Cracked Log



When printing the templates, ensure that paper size is set to A4, and scale to 100%

JULY

The template will print each of the four sections on separate sheets.

Cut these and stick together to get the complete pattern. You can either use this or copy onto paper to make your block.

I would suggest that with this one it might be easier to redraw the 4 unit foundations on separate papers.



This month there are no instructions.

You can choose the number of fabrics you want to use.


Always consult the diagram and remember to attach your fabric pieces in order.

There is no $\frac{1}{4}$ " seam allowance on the pattern.

The difference with *Cracked Log* is that you have to make 4 small units and join together as shown.

This template should be printed at 100% scale,
with paper size set to A4

Unit: A




Remember to ADD $\frac{1}{4}$ inch seam allowance.

Cracked Log Template ~ part 1

This template should be printed at 100% scale,
with paper size set to A4

Unit: B




Remember to ADD $\frac{1}{4}$ inch seam allowance.

Cracked Log Template ~ part 2

This template should be printed at 100% scale,
with paper size set to A4

Unit: C




Remember to ADD $\frac{1}{4}$ inch seam allowance.

Cracked Log Template ~ part 3

This template should be printed at 100% scale,
with paper size set to A4

Unit: D



Remember to ADD $\frac{1}{4}$ inch seam allowance.

Cracked Log Template ~ part 4