

## Winding Ways

When printing the templates, ensure that paper size is set to A4, and scale to 100%

AUGUST

This is another block with many names. The Ladies Art Company was apparently the first to publish it using the name Winding Ways in 1928. It has appeared since then as Four Leaf Clover, Nashville, Robbing Peter to Pay Paul and Wheel of Mystery. Winding Ways is the most commonly used name for it today.

### Fabric

Fabric 1 - Green

Fabric 2 - Black

### Cutting instructions


Print out the 4 templates.  
( $\frac{1}{4}$  inch seam allowance is **not** included.)

Fabric 1 - Cut 4 of template A.

Fabric 2 - Cut 4 of template B.

Cut 4 of template C.

Cut 4 of template D.



Curved Seam instructions on page 3

Figure 1






Figure 2



### Assembly instructions


Consult section on curved piecing if you are unsure of the procedure.

1. Take one of template A in Fabric 1 and one of template B in Fabric 2. Join these together as shown in Fig. 1. (called AB). Do this 4 times.
2. Take 1 of AB and 1 of template C in fabric 2. Join together as shown in Fig. 2. (called ABC). Do this 4 times.



**Figure 3**

3. Take 1 of ABC and 1 of template D in Fabric 2. Join together as shown in Fig. 3. Again do this 4 times.
4. You should now have four  $6\frac{1}{2}$  inch squares. These have to be joined together to make the large square. Consult Fig. 4 as you will have to rotate them to get the correct block.



**Figure 4**

## Sewing a Curved Seam

This method is only one way of doing this. Feel free to use your own method if you have one.

Sewing curved seams requires extra care. For each seam, first mark the centres of both the convex and concave curves.

1. Clip the curved edge of the concave piece to the seam line.  
(Figure A )




Figure A

2. With right sides facing and raw edges aligned, pin the two patches together at the centre and at the left edge.  
(Figure B)




Figure B

3. Place one or two pins between centre and edge. Sew from edge to centre, stopping frequently to check the raw edges are aligned. Stop at the centre with the needle down. Raise the pressure foot and pin the pieces together from centre to the right edge. Lower the foot and continue to sew.  
(Figure C )




Figure C

4. Press seam allowance toward the concave curve.  
(Figure D )





Figure D

# Winding Ways

When printing the templates, ensure that paper size is set to A4, and scale to 100%


AUGUST



Remember to ADD  $\frac{1}{4}$  inch seam allowance.

Winding Ways Template

This template should be printed at 100% scale,  
with paper size set to A4



Remember to ADD  $\frac{1}{4}$  inch seam allowance.

Winding Ways Template